



**NATIONAL ARCHIVES OF THE PHILIPPINES**  
*Pambansang Sinupan ng Pilipinas*

**BIDS AND AWARD COMMITTEE**

**Supplemental Bid Bulletin**

In connection with the conducted Pre-Bid Conference last December 2, 2020, 10:00 a.m., the National Archives of the Philippines through the Bids and Awards Committee hereby issues the Supplemental Bid Bulletin for the Procurement of Steel Mezzanine Structure.

**I. CLARIFICATION/S**

**1. Terms of Payment**

The SCC Clause 2.2 of the Bidding Documents, the terms of payment shall be upon acceptance of the following:

- 20% - Delivery
- 70% - Installation
- 10% - Retention/Warranty (1 year)

**II. AMENDMENT/S**

**1. Schedule of Requirements**


Below is the amended Section VI. Schedule of Requirement of the Bidding Documents

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	<p><b>Supply, delivery &amp; installation of Steel Mezzanine Structure</b></p> <p><b>SCOPE OF WORK</b></p> <ul style="list-style-type: none"> <li>➤ Supply and delivery of materials, tools and equipment in the installation of Steel Mezzanine Structure</li> <li>➤ Supply of manpower and supervision in accordance with local labor code</li> <li>➤ Design and layout conform to international structural standard and calculation principles</li> </ul> <p><b>GENERAL SPECIFICATION</b></p> <ul style="list-style-type: none"> <li>➤ Type of structure: Free standing mezzanine system (see layout/drawing)</li> <li>➤ Materials: All steel construction</li> <li>➤ Mezzanine floor area: Approximately <b>337</b> square meters</li> <li>➤ Floor capacity: 1000 kg/square meter</li> <li>➤ Ceiling height (headroom): 3300 mm</li> <li>➤ Floor to floor height: 3600 mm</li> <li>➤ Loading gate opening: 1500 mm</li> <li>➤ Floor deck: Plain steel with galvanized finished</li> <li>➤ Stairs with middle landing: 2 stairs, 900 mm wide</li> <li>➤ Hand (guard) rail: 1000 mm high</li> <li>➤ Finished: Main structure - powder coat</li> </ul>	1 lot	1 lot	Within six (6) months upon receipt of Notice to Proceed



# NATIONAL ARCHIVES OF THE PHILIPPINES

*Pambansang Sinupan ng Pilipinas*



6/F PPL Building, 1000 U.N. Avenue corner San Marcelino Street, Paco, Manila

Tel. nos. (02) 8708 8656

E-mail: [nationalarchives@nationalarchives.gov.ph](mailto:nationalarchives@nationalarchives.gov.ph)/[gmpapa@nationalarchives.gov.ph](mailto:gmpapa@nationalarchives.gov.ph)

Website: [www.nationalarchives.gov.ph](http://www.nationalarchives.gov.ph)



**NATIONAL ARCHIVES OF THE PHILIPPINES**  
*Pambansang Sinupan ng Pilipinas*

2. Technical Specifications

Below is the amended Section VII. Technical Specifications of the Bidding Document.

Item	Specification	Statement of Compliance <i>Bidders must state here either "Comply" or "Not Comply"</i>																																																				
1	<p><b>GENERAL SPECIFICATION</b></p> <ul style="list-style-type: none"> <li>➤ Type of structure: Free standing mezzanine system (see layout/drawing)</li> <li>➤ Materials: All steel construction</li> <li>➤ Mezzanine floor area: Approximately <b>337</b> square meters</li> <li>➤ Floor capacity: 1000 kg/square meter</li> <li>➤ Ceiling height (headroom): 3300 mm</li> <li>➤ Floor to floor height: 3600 mm</li> <li>➤ Loading gate opening: 1500 mm</li> <li>➤ Floor deck: Plain steel with galvanized finished</li> <li>➤ Stairs with middle landing: 2 stairs, 900 mm wide</li> <li>➤ Hand (guard) rail: 1000 mm high</li> <li>➤ Finished: Main structure - powder coat</li> </ul>																																																					
2	<p>Free Standing Mezzanine System -337 sq.m. at 100kg/sq.m. Uniformly Distributed Load (UDL) , no trolley or cart to be used on deck.</p> <table border="1" data-bbox="231 1055 1182 1682"> <thead> <tr> <th>Item</th> <th>Dimension   Specification   Description</th> <th>Qty</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Column: H3300 200*200*6.0mm base plate are incl.</td> <td>20</td> <td>nos.</td> </tr> <tr> <td>2</td> <td>Main beam: L20605mm, 396*7*11mm</td> <td>4</td> <td>nos.</td> </tr> <tr> <td>3</td> <td>Secondary beam: L5800mm, 248*124*5*8mm</td> <td>33</td> <td>nos.</td> </tr> <tr> <td>4</td> <td>Secondary beam: L4780mm, 248*124*5*8mm</td> <td>22</td> <td>nos.</td> </tr> <tr> <td>5</td> <td>Floor deck: 198*40*2.5mm with reinforce rib; no holes</td> <td>337</td> <td>sq. m.</td> </tr> <tr> <td>6</td> <td>Floor fasteners and parts</td> <td>1350</td> <td>pc.</td> </tr> <tr> <td>7</td> <td>Back bracing: L5215mm, 40*40*3.0mm</td> <td>16</td> <td>nos.</td> </tr> <tr> <td>8</td> <td>Angle steel: L5800mm, 40*40*3.0mm</td> <td>10</td> <td>pc.</td> </tr> <tr> <td>9</td> <td>Handrail: H1000mm, 32*1.2mm</td> <td>72</td> <td>m</td> </tr> <tr> <td>10</td> <td>Sliding gate: H1000mm x W1500mm</td> <td>1</td> <td>assy.</td> </tr> <tr> <td>11</td> <td>Stair with middle platform: H3600*W1000mm</td> <td>2</td> <td>set</td> </tr> <tr> <td>12</td> <td>Accessories, bolts, nuts, washers, anchors, etc.</td> <td>1</td> <td>lot</td> </tr> </tbody> </table>	Item	Dimension   Specification   Description	Qty	UOM	1	Column: H3300 200*200*6.0mm base plate are incl.	20	nos.	2	Main beam: L20605mm, 396*7*11mm	4	nos.	3	Secondary beam: L5800mm, 248*124*5*8mm	33	nos.	4	Secondary beam: L4780mm, 248*124*5*8mm	22	nos.	5	Floor deck: 198*40*2.5mm with reinforce rib; no holes	337	sq. m.	6	Floor fasteners and parts	1350	pc.	7	Back bracing: L5215mm, 40*40*3.0mm	16	nos.	8	Angle steel: L5800mm, 40*40*3.0mm	10	pc.	9	Handrail: H1000mm, 32*1.2mm	72	m	10	Sliding gate: H1000mm x W1500mm	1	assy.	11	Stair with middle platform: H3600*W1000mm	2	set	12	Accessories, bolts, nuts, washers, anchors, etc.	1	lot	
Item	Dimension   Specification   Description	Qty	UOM																																																			
1	Column: H3300 200*200*6.0mm base plate are incl.	20	nos.																																																			
2	Main beam: L20605mm, 396*7*11mm	4	nos.																																																			
3	Secondary beam: L5800mm, 248*124*5*8mm	33	nos.																																																			
4	Secondary beam: L4780mm, 248*124*5*8mm	22	nos.																																																			
5	Floor deck: 198*40*2.5mm with reinforce rib; no holes	337	sq. m.																																																			
6	Floor fasteners and parts	1350	pc.																																																			
7	Back bracing: L5215mm, 40*40*3.0mm	16	nos.																																																			
8	Angle steel: L5800mm, 40*40*3.0mm	10	pc.																																																			
9	Handrail: H1000mm, 32*1.2mm	72	m																																																			
10	Sliding gate: H1000mm x W1500mm	1	assy.																																																			
11	Stair with middle platform: H3600*W1000mm	2	set																																																			
12	Accessories, bolts, nuts, washers, anchors, etc.	1	lot																																																			

3. Post-Qualification Requirements

Aside from the Post Qualification Requirement stated in ITB Clause 20.1 of the Bidding Document, the requirement stated under BDS Clause 20.2 of the Bidding Document shall be as follow:

- **Manufacturer's Certificate**
- **Structural Analysis Computation from the Civil/Structural Engineer**



**NATIONAL ARCHIVES OF THE PHILIPPINES**  
*Pambansang Sinupan ng Pilipinas*

This Supplemental Bid Bulletin shall form part of the contract.

Issued on December 7, 2020

**ELIZABETH B. EJE**  
BAC Chairperson